

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier (occupier or operator of facility)		CHC Chandanpur
	(i) Name of the authorised person		Dr. Prasant Nayak
	(ii) Name of HCF or CBMWTF	:	SANI CLEAN PVT.LTD, IRC VILLAGE
	(iii) Address for Correspondence	:	CHC Chandanpur, Birapatappur Dist , puri, Pin No- 752012 Tell No- 9439994722
	(iv) Address of Facility	:	CHC Chandanpur, Birapatappur Dist , puri, Pin No- 752012 Tell No- 9439994722
	(v)Tel. No, Fax. No	:	06752-272373
	(vi) E-mail ID	:	bpmuchandanpur 2017@gmail.com
	(vii) URL of Website		Not available
	(viii) GPS coordinates of HCF or CBMWTF		Not available
	(ix) Ownership of HCF or CBMWTF	:	State Government

	Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	1935/SPCB/Bio-medical waste IND-IV-BW-873 Valid up to - 31.03.2023
	(xi). Status of Consents under Water Act and Air Act	:	
2.	Type of Health Care Facility (i) Bedded Hospital (ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) (iii) License number and its date of expiry	:	 16 Beds
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	16
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 364 kg 528gm Red Category : 263kg.428 gm White: 52kg.309gm Blue Category : 468 kg.234gm

Details of the Storage, treatment, transportation, processing and Disposal Facility

(i) Details of the on-site storage facility	:	Size :
	:	Capacity :
	:	Provision of on-site storage : (cold storage or any other provision)- Normal Storage Room not easy to access Public and Animals

disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter or Destroyer Sharps	4 Nos		
	encapsulation or concrete pit	2 Nos		73kg.309gm Kg
	Deep burial pits:	3 Nos		546 kg 695gm
	Chemical disinfection:		-	336ltr
	Any other treatment equipment:			

(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)
	:	761.666 kgm

(iv) No of vehicles used for collection and transportation of biomedical waste	:	1
--	---	---

(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of		Quantity generated	Where disposed
---	--	--------------------	----------------

in Kg per annum

Incineration
Ash

ETP Sludge

(vi) Name of the Common Bio- :
Medical Waste Treatment Facility
Operator through which wastes are
disposed of- Not Available

(vii) List of member HCF not
handed over bio-medical waste.-0

6 Do you have bio-medical waste
management committee? If yes,
attach minutes of the meetings held
during the reporting period- Yes,

7 Details trainings conducted on BMW

(i) Number of trainings conducted
on BMW Management.-5

	(ii) number of personnel trained	32
	(iii) number of personnel trained at the time of induction	32
	(iv) number of personnel not undergone any training so far	
	(v) whether standard manual for Training is available?	Available
	(vi) any other information)	
8	Details of the accident occurred during the year	No
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air	

	pollution from the incinerator? How many times in last year could not met the standards?		Not Available
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?		Low cost technology tank installed at all the generation points for preliminary treatment of liquid waste as per specification of BMW Cell Odisha. Liquid waste from hospital disinfected by 1% hypochlorite solution and discharge in to drain.
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1st January 22 to 31.12.2023

Name and Signature of the Head of the Institution

Medical Officer I/C
CHC, Chandanpur

Date: 25.06.24

Place